

1998 PREMIUMS AND DISCOUNTS

GRAINS AND OILSEEDS



Barley

Canola


Corn

Flaxseed

Grain Sorghum

Mustard Seed

Oats



Rapeseed

Safflower Seed

Soybeans

Sunflower - Oil Type

Sunflower - Other Type

Wheat

PSD Home Page

GRAINS AND OILSEEDS

Premiums, Discounts, and Additional Discounts for Barley

Crop Year Specific Premiums and Discounts

A

Barley Premiums and Discounts

This table provides the premiums and discounts per bushel for barley.

	1996		1997		1998	
Grade or Factor Description	Premium	Discount	Premium	Discount	Premium	Discount
Grade U.S. No. 3		\$.04		\$.04		\$.04
Grade U.S. No. 4		.08		.08		.08
Grade U.S. No. 5		.15		.15		.15
Moisture Percent:						
14.1		\$.01		\$.01		\$.01
14.2		.02		.02		.02
14.3		.03		.03		.03
14.4		.04		.04		.04
14.5		.05		.05		.05

	1996		1997		1998	
Grade or Factor Description	Premium	Discount	Premium	Discount	Premium	Discount
All Grades - Dockage Discount:						
1 percent dockage		\$.01				
2 percent dockage		.03				
3 percent dockage		.04				
4 percent dockage		.05				
For each 1 percent of dockage over 4 percent, deduct an additional \$.01. Example: The total discount for 8 percent dockage would be \$.09.						
1.0 - 1.5 percent dockage				\$.01		\$.01
2.0 - 2.5 percent dockage				.03		\$.03
3.0 - 3.5 percent dockage				.04		\$.04
4.0 - 4.5 percent dockage				.05		\$.05
For each whole percent or fraction of a half percent over 4.5 percent, deduct an additional \$.01. Example: The total discount for 8.0 - 8.5 percent dockage would be \$.09.						
Special Grade Discount of Garlicky		\$.10		\$.10		\$.10

A**Grade and Thin**

This table provides the barley additional CCC discounts for:

- grade
- thin.

	*--Effective July 1, 1997	Effective July 1, 1998
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Grade Discount for 1995 and later crop years:		
U.S. Sample Grade	\$.471 for 1997 crop \$.465 for 1996 crop \$.462 for 1995 crop	\$.471 for 1998 crop \$.471 for 1997 crop \$.465 for 1996 crop--*
Thin Percent:		
75.1 - 80.0	\$.05	\$.05
80.1 - 85.0	.10	.10
85.1 - 90.0	.15	.15
90.1 - 95.0	.20	.20
95.1 - 100.0	.25	.25

B**Test Weight**

This table provides the barley additional CCC discounts for test weight.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Test Weight (Pounds):		
35.5 - 35.0	\$.01	\$.01
34.5 - 34.0	.02	.02
33.5 - 33.0	.03	.03
32.5 - 32.0	.04	.04
31.5 - 31.0	.05	.05
30.5 - 30.0	.06	.06
29.5 - 29.0	.07	.07
28.5 - 28.0	.08	.08
27.5 - 27.0	.09	.09
26.5 - 26.0	.10	.10
For each whole pound or fraction thereof under 26.0 pounds per bushel, deduct an additional \$.01. Example: The total discount for 24.5 pound test weight would be \$.12.		

C**Foreign Material**

This table provides the barley additional CCC discounts for foreign material.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Foreign Material Percent:		
5.1 - 6.0	\$.01	\$.01
6.1 - 7.0	.02	.02
7.1 - 8.0	.03	.03
8.1 - 9.0	.04	.04
9.1 - 10.0	.05	.05
10.1 - 11.0	.07	.07
11.1 - 12.0	.09	.09
12.1 - 13.0	.11	.11
13.1 - 14.0	.13	.13
14.1 - 15.0	.15	.15
15.1 - 16.0	.17	.17
For each 1 percent or fraction thereof over 16.0 percent, deduct an additional \$.02. Example: The total discount for 16.9 percent foreign material would be \$.19.		

D**Heat-Damaged Kernels**

This table provides the barley additional CCC discounts for heat-damaged kernels.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Heat-Damaged Kernels Percent:		
3.1	\$.02	\$.02
3.2	.04	.04
3.3	.06	.06
3.4	.08	.08
3.5	.10	.10
3.6	.12	.12
3.7	.14	.14
3.8	.16	.16
3.9	.18	.18
4.0	.20	.20
For each tenth of a percent over 4.0 percent, deduct an additional \$.02. Example: The total discount for 4.5 percent heat-damaged kernels would be \$.30.		

E**Damaged Kernels (Total)**

This table provides the barley additional CCC discounts for damaged kernels (total).

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Damaged Kernels (Total) Percent:		
10.1 - 11.0	\$.02	\$.02
11.1 - 12.0	.04	.04
12.1 - 13.0	.06	.06
13.1 - 14.0	.08	.08
14.1 - 15.0	.10	.10
For each 1 percent or fraction thereof over 15.0 percent, deduct an additional \$.05. Example: The total discount for 15.1 to 16.0 percent damaged kernels (total) would be \$.15.		

F**Moisture**

This table provides the barley additional CCC discounts for moisture.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Moisture Percent:		
14.6	\$.06	\$.06
14.7	.07	.07
14.8	.08	.08
14.9	.09	.09
15.0	.10	.10

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Moisture Percent:		
15.1	\$.11	\$.11
15.2	.12	.12
15.3	.13	.13
15.4	.14	.14
15.5	.15	.15
15.6	.16	.16
15.7	.17	.17
15.8	.18	.18
15.9	.19	.19
16.0	.20	.20
For each tenth of a percent over 16.0 percent, deduct an additional \$.01. Example: The total discount for 16.5 percent moisture would be \$.25.		

G

Special Grades

This table provides the barley additional CCC discounts for special grades.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Musty	\$.10	\$.10
Sour	\$.10	\$.10
Infested	\$.10	\$.10
Heating	\$.10	\$.10
COFO	\$.10	\$.10

H

Discount for Contaminated Barley

Barley found to contain substances poisonous to humans or animals, such as mercurial compounds and toxin-producing molds, will receive a discount equal to the settlement value determined after applying all other premiums and discounts.

Exception: For barley delivered to CCC and the warehouse receipt indicates a vomitoxin level of:

- 5 parts per million or less, determine the settlement rate in the normal manner
- more than 5 parts per million, the barley shall have a settlement value of **zero**.

Discounts and Additional Discounts for **Canola**

Crop Year Specific Discounts

A

Canola Discounts

This table provides the discounts per cwt. for canola.

	Discount (Dollars per Cwt.)		
Quality Factor Level	*--1996	1997	1998--*
Oil Content Percent:			
37.9 - 37.0	\$.22	\$.22	\$.22
36.9 - 36.0	.44	.44	.44
35.9 - 35.0	.66	.66	.66
Moisture Percent:			
8.1 - 8.5	\$.11	\$.11	\$.11
8.6 - 9.0	.22	.22	.22
9.1 - 9.5	.33	.33	.33
9.6 - 10.0	.44	.44	.44
Heat Damage Percent:			
0.2 - 0.5	\$.10	\$.10	\$.10
Total Damage Percent:			
2.1 - 3.0	\$.06	\$.06	\$.06
3.1 - 4.0	.12	.12	.12
4.1 - 5.0	.18	.18	.18
5.1 - 6.0	.24	.24	.24
6.1 - 7.0	.30	.30	.30
7.1 - 8.0	.38	.38	.38
8.1 - 9.0	.46	.46	.46
9.1 - 10.0	.56	.56	.56

	Discount (Dollars per Cwt.)		
Quality Factor Level	*--1996	1997	1998--*
Distinctly Green Seed Percent:			
2.1 - 6.0	\$.12	\$.12	\$.12
Garlic Bulbs (per 500 grams):			
4-15 bulbs	\$.02 per bulb over 3 not to exceed 15	\$.02 per bulb over 3 not to exceed 15	\$.02 per bulb over 3 not to exceed 15
Total Conspicuous Admixtures Percent:			
1.1 - 1.5	\$.38	\$.38	\$.38

Canola Additional CCC Discounts

A

Grade and Oil Content

This table provides the canola additional CCC discounts for:

- grade
- oil content.

	*--Effective July 1, 1997	Effective July 1, 1998
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Grade Discount for 1995 and later crop years:		
U.S. Sample Grade	\$2.790 for 1997 crop \$2.673 for 1996 crop \$2.61 for 1995 crop	\$2.790 for 1998 crop \$2.790 for 1997 crop \$2.673 for 1996 crop--*
Oil Content Percent:		
34.9 - 34.0	\$1.10	\$1.10
33.9 - 33.0	1.54	1.54
32.9 - 32.0	1.98	1.98
31.9 - 31.0	2.42	2.42
30.9 - 30.0	2.86	2.86
29.9 - 29.0	3.74	3.74
28.9 - 28.0	4.62	4.62
For each 1 percent or fraction thereof under 28.0 percent, deduct an additional \$.88. Example: The total discount for 26.0 percent oil content would be \$6.38.		

B**Moisture**

This table provides the canola additional CCC discounts for moisture.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Moisture Percent:		
10.1 - 10.5	\$.69	\$.69
10.6 - 11.0	.94	.94
11.1 - 11.5	1.19	1.19
11.6 - 12.0	1.44	1.44
12.1 - 12.5	1.94	1.94
12.6 - 13.0	2.44	2.44
13.1 - 13.5	2.94	2.94
For each 0.5 percent or fraction thereof over 13.5 percent, deduct an additional \$.50. Example: The total discount for 15.0 percent moisture would be \$4.44.		

C**Heat Damage**

This table provides the canola additional CCC discounts for heat damage.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Heat Damage Percent:		
0.6 - 1.0	\$.20	\$.20
1.1 - 1.5	.30	.30
1.6 - 2.0	.40	.40
2.1 - 3.0	.60	.60
3.1 - 4.0	1.40	1.40
4.1 - 5.0	2.20	2.20
5.1 - 6.0	3.20	3.20
For each 1 percent or fraction thereof over 6.0 percent, deduct an additional \$1.00. Example: The total discount for 7.5 percent heat damage would be \$5.20.		

D**Sclerotinia Bodies**

This table provides the canola additional CCC discounts for sclerotinia bodies.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Sclerotinia Bodies Percent:		
0.11 - 0.15	\$1.50	\$1.50
0.16 - 0.20	2.25	2.25
0.21 - 0.25	3.50	3.50
0.26 - 0.30	5.00	5.00
For each 0.05 percent or fraction thereof over 0.30 percent, deduct an additional \$1.50. Example: The total discount for 0.40 percent sclerotinia bodies would be \$8.00.		

E**Distinctly Green Seed**

This table provides the canola additional CCC discounts for distinctly green seed.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Distinctly Green Seed Percent:		
6.1 - 10.0	\$.24	\$.24
10.1 - 15.0	.40	.40
15.1 - 20.0	.60	.60
20.1 - 25.0	1.50	1.50
25.1 - 35.0	3.00	3.00
For each 10 percent or fraction thereof over 35.0 percent, deduct an additional \$1.50. Example: The total discount for 50.0 percent distinctly green seed would be \$6.00.		

F**Total Damage**

This table provides the canola additional CCC discounts for total damage.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Total Damage Percent:		
10.1 - 11.0	\$.81	\$.81
11.1 - 12.0	1.06	1.06
12.1 - 13.0	1.31	1.31
13.1 - 14.0	1.56	1.56
14.1 - 15.0	1.81	1.81
15.1 - 16.0	2.31	2.31
16.1 - 17.0	2.81	2.81
17.1 - 18.0	3.31	3.31
For each 1 percent or fraction thereof over 18.0 percent, deduct an additional \$.50. Example: The total discount for 20.0 percent total damage would be \$4.31.		

G**Garlic Bulbs**

This table provides the canola additional CCC discounts for garlic bulbs.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Garlic Bulbs (per 500 grams):		
16 - 20	\$.30	\$.30
21 - 30	.50	.50
31 - 50	.75	.75
51 - 75	1.50	1.50
76 - 100	3.00	3.00

H**Total Conspicuous Admixtures**

This table provides the canola additional CCC discounts for total conspicuous admixtures.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Total Conspicuous Admixtures Percent:		
1.6 - 2.0	\$1.50	\$1.50
2.1 - 2.5	2.25	2.25
2.6 - 3.0	5.00	5.00
For each 0.5 percent or fraction thereof over 3.0 percent, deduct an additional \$2.75. Example: The total discount for 4.0 percent total conspicuous admixtures would be \$10.50.		

I**Other Factors**

This table provides the canola additional CCC discounts for other factors.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Infested	\$.40	\$.40
Musty	\$.40	\$.40
Sour	\$.40	\$.40
Heating	\$.40	\$.40
COFO	\$.70	\$.70
Distinctly low quality	\$.70	\$.70

J**Discount for Contaminated Canola**

Canola found to contain substances poisonous to humans or animals, such as mercurial compounds and toxin-producing molds, will receive a discount equal to the settlement value determined after applying all other premiums and discounts.

Premiums, Discounts, and Additional Discounts for **Corn**

Crop Year Specific Premiums and Discounts

A

Corn Premiums and Discounts

This table provides the premiums and discounts per bushel for corn.

	1996		1997		1998	
Grade or Factor Description	Premium	Discount	Premium	Discount	Premium	Discount
Test Weight (Pounds):						
53.9 - 53.5		\$.01				
53.4 - 53.0		.02				
52.9 - 52.5		.03				
52.4 - 52.0		.04				
53.9 - 53.0				\$.01		\$.01
52.9 - 52.0				.02		.02
Damaged Kernels (Total) Percent:						
5.1 - 6.0		\$.01		\$.01		\$.01
6.1 - 7.0		.02		.02		.02

	--1996		1997		1998--	
Grade or Factor Description	Premium	Discount	Premium	Discount	Premium	Discount
Heat-Damaged Kernels Percent:						
0.3 - 0.5		\$.02		\$.02		\$.02
Broken Corn and Foreign Material Percent:						
3.1 - 4.0		\$.02		\$.02		\$.02
Moisture Percent:						
15.1 - 15.5		\$.03		\$.03		\$.03

Corn Additional CCC Discounts

A Grade

This table provides the corn **additional CCC discounts** for grade.

	Effective July 1, 1997	Effective July 1, 1998
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Grade Discount for 1995 and later crop years:		
U.S. Sample Grade	\$.567 for 1997 crop \$.567 for 1996 crop \$.567 for 1995 crop	\$.567 for 1998 crop \$.567 for 1997 crop \$.567 for 1996 crop

B
Test Weight

This table provides the corn additional CCC discounts for test weight.

	Effective July 1, 1997	Effective July 1, 1998
Grade or Factor Description	Discount per Bushel	Discount per Bushel
51.9 - 51.0	\$.03	\$.03
50.9 - 50.0	.04	.04
49.9 - 49.0	.06	.06
48.9 - 48.0	.08	.08
47.9 - 47.0	.10	.10
46.9 - 46.0	.12	.12
45.9 - 45.0	.14	.14
44.9 - 44.0	.16	.16
43.9 - 43.0	.18	.18
42.9 - 42.0	.20	.20
41.9 - 41.0	.22	.22
40.9 - 40.0	.24	.24
39.9 - 39.0	.26	.26
38.9 - 38.0	.28	.28
For each whole pound or fraction thereof under 38.0 pounds per bushel, deduct an additional \$.02. Example: The total discount for 37.2 pound test weight would be \$.30.		

C**Broken Corn and Foreign Material**

This table provides the corn additional CCC discounts for broken corn and foreign material.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Broken Corn and Foreign Material Percent:		
4.1 - 5.0	\$.04	\$.04
5.1 - 6.0	.06	.06
6.1 - 7.0	.08	.08
7.1 - 8.0	.10	.10
8.1 - 9.0	.13	.13
9.1 - 10.0	.16	.16
10.1 - 11.0	.20	.20
11.1 - 12.0	.24	.24
12.1 - 13.0	.28	.28
For each 1 percent or fraction thereof over 13.0 percent, deduct an additional \$.04. Example: The total discount for 13.8 percent broken corn and foreign material would be \$.32.		

D**Heat-Damaged Kernels**

This table provides the corn additional CCC discounts for heat-damaged kernels.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Heat-Damaged Kernels Percent:		
0.6 - 1.0	\$.04	\$.04
1.1 - 1.5	.06	.06
1.6 - 2.0	.08	.08
2.1 - 2.5	.10	.10
2.6 - 3.0	.12	.12
3.1 - 3.5	.14	.14
3.6 - 4.0	.16	.16
4.1 - 4.5	.18	.18
4.6 - 5.0	.20	.20
5.1 - 5.5	.22	.22
5.6 - 6.0	.24	.24
6.1 - 6.5	.26	.26
6.6 - 7.0	.28	.28
For each 0.5 percent or fraction thereof over 7.0 percent, deduct an additional \$.02. Example: The total discount for 8.5 percent heat-damaged kernels would be \$.34.		

E**Damaged Kernels (Total)**

This table provides the corn additional CCC discounts for damaged kernels (total).

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Damaged Kernels (Total) Percent:		
7.1 - 8.0	\$.04	\$.04
8.1 - 9.0	.06	.06
9.1 - 10.0	.08	.08
10.1 - 11.0	.10	.10
11.1 - 12.0	.12	.12
12.1 - 13.0	.14	.14
13.1 - 14.0	.16	.16
14.1 - 15.0	.18	.18
15.1 - 16.0	.21	.21
16.1 - 17.0	.24	.24
17.1 - 18.0	.27	.27
18.1 - 19.0	.30	.30
For each 1 percent or fraction thereof over 19.0 percent, deduct an additional \$.03. Example: The total discount for 19.1 to 20.0 percent damaged kernels (total) would be \$.33.		

F**Moisture**

This table provides the corn additional CCC discounts for moisture.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Moisture Percent:		
15.6 - 16.0	\$.06	\$.06
16.1 - 16.5	.09	.09
16.6 - 17.0	.12	.12
17.1 - 17.5	.15	.15
17.6 - 18.0	.18	.18
18.1 - 18.5	.21	.21
18.6 - 19.0	.24	.24
For each 0.5 percent or fraction thereof over 19.0 percent, deduct an additional \$.03. Example: The total discount for 19.5 percent moisture would be \$.27.		

G

Special Grades

This table provides the corn additional CCC discounts for special grades.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Sour	\$.10	\$.10
Musty	\$.05	\$.05
Heating	\$.10	\$.10
Infested	\$.05	\$.05
COFO	\$.10	\$.10

H

Discount for Contaminated Corn

Corn found to contain substances poisonous to humans or animals, such as mercurial compounds and toxin-producing molds, will receive a discount equal to the settlement value determined after applying all other premiums and discounts.

Exceptions: For corn delivered to CCC and the warehouse receipt indicates either of the following:

- a vomitoxin level of:
 - 5 parts per million or less, determine the settlement rate in the normal manner
 - more than 5 parts per million, the corn shall have a settlement value of **zero**
- an aflatoxin level of:
 - 20 parts per billion or less, determine the settlement rate in the normal manner
 - more than 20 parts per billion, the corn shall have a settlement value of **zero**.

Discounts and Additional Discounts for **Flaxseed**

Crop Year Specific Discounts

A

Flaxseed Discounts

This table provides the discounts per cwt. for flaxseed.

	Discount (Dollars per Cwt.)		
Quality Factor Level	*--1996	1997	1998--*
Test Weight (Pounds):			
48.9 - 48.5	\$.06	\$.06	\$.06
48.4 - 48.0	.12	.12	.12
47.9 - 47.5	.18	.18	.18
47.4 - 47.0	.24	.24	.24
Moisture Percent:			
8.1 - 9.0	\$.22	\$.22	\$.22
Heat Damage Percent:			
0.3 - 0.5	\$.06	\$.06	\$.06
Total Damage Percent:			
10.1 - 11.0	\$.22	\$.22	\$.22
11.1 - 12.0	.44	.44	.44
12.1 - 13.0	.66	.66	.66
13.1 - 14.0	.88	.88	.88
14.1 - 15.0	1.10	1.10	1.10

Flaxseed Additional CCC Discounts

A

Grade

This table provides the flaxseed additional CCC discounts for grade.

	Effective July 1, 1997	Effective July 1, 1998
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Grade Discount for 1995 and later crop years:		
U.S. Sample Grade	\$2.790 for 1997 crop \$2.673 for 1996 crop \$2.61 for 1995 crop	\$2.790 for 1998 crop \$2.790 for 1997 crop \$2.673 for 1996 crop

B**Test Weight**

This table provides the flaxseed additional CCC discounts for test weight.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Test Weight (Pounds):		
46.9 - 46.5	\$.30	\$.30
46.4 - 46.0	.36	.36
45.9 - 45.5	.42	.42
45.4 - 45.0	.48	.48
44.9 - 44.5	.54	.54
44.4 - 44.0	.60	.60
43.9 - 43.5	.66	.66
43.4 - 43.0	.72	.72
42.9 - 42.5	.78	.78
42.4 - 42.0	.84	.84
41.9 - 41.5	.90	.90
41.4 - 41.0	.96	.96
40.9 - 40.5	1.02	1.02
40.4 - 40.0	1.08	1.08
39.9 - 39.5	1.20	1.20
39.4 - 39.0	1.32	1.32
38.9 - 38.5	1.44	1.44

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Test Weight (Pounds):		
38.4 - 38.0	\$1.56	\$1.56
37.9 - 37.5	1.68	1.68
37.4 - 37.0	1.80	1.80
36.9 - 36.5	1.92	1.92
36.4 - 36.0	2.04	2.04
35.9 - 35.5	2.16	2.16
35.4 - 35.0	2.28	2.28
34.9 - 34.5	2.40	2.40
34.4 - 34.0	2.52	2.52
33.9 - 33.5	2.64	2.64
33.4 - 33.0	2.76	2.76
32.9 - 32.5	2.88	2.88
32.4 - 32.0	3.00	3.00
31.9 - 31.5	3.12	3.12
31.4 - 31.0	3.24	3.24
30.9 - 30.5	3.36	3.36
30.4 - 30.0	3.48	3.48
For each half pound or fraction thereof under 30.0 pounds per cwt., deduct an additional \$.12. Example: The total discount for 28.0 pound test weight would be \$3.96.		

C**Moisture**

This table provides the flaxseed additional CCC discounts for moisture.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Moisture Percent:		
9.1 - 10.0	\$.44	\$.44
10.1 - 11.0	.75	.75
11.1 - 12.0	1.75	1.75
12.1 - 13.0	2.75	2.75
13.1 - 14.0	3.75	3.75
14.1 - 15.0	4.75	4.75
For each 1 percent or fraction thereof over 15.0 percent, deduct an additional \$1.00. Example: The total discount for 17.0 percent moisture would be \$6.75.		

D**Heat Damage**

This table provides the flaxseed additional CCC discounts for heat damage.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Heat Damage Percent:		
0.6 - 1.0	\$.12	\$.12
1.1 - 1.5	.24	.24
1.6 - 2.0	.48	.48
2.1 - 3.0	1.00	1.00
For each 1 percent or fraction thereof over 3.0 percent, deduct an additional \$1.00. Example: The total discount for 5.0 percent heat damage would be \$3.00.		

E**Total Damage**

This table provides the flaxseed additional CCC discounts for total damage.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Total Damage Percent:		
15.1 - 16.0	\$1.60	\$1.60
16.1 - 17.0	2.10	2.10
17.1 - 18.0	2.60	2.60
18.1 - 19.0	3.10	3.10
19.1 - 20.0	3.60	3.60
For each 1 percent or fraction thereof over 20.0 percent, deduct an additional \$.50. Example: The total discount for 21.5 percent total damage would be \$4.60.		

F**Other Factors**

This table provides the flaxseed additional CCC discounts for other factors.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Infested	\$.40	\$.40
Musty	\$.40	\$.40
Sour	\$.40	\$.40
Heating	\$.40	\$.40
COFO	\$.70	\$.70
Distinctly low quality	\$.70	\$.70

G**Discount for Contaminated Flaxseed**

Flaxseed found to contain substances poisonous to humans or animals, such as mercurial compounds and toxin-producing molds, will receive a discount equal to the settlement value determined after applying all other premiums and discounts.

Premiums, Discounts, and Additional Discounts for Grain Sorghum

Crop Year Specific Premiums and Discounts

A

Grain Sorghum Premiums and Discounts

This table provides the premiums and discounts per cwt. for grain sorghum.

	*--1996		1997		1998	
Grade or Factor Description	Premium	Discount	Premium	Discount	Premium	Discount
Test Weight (Pounds):						
54.5 - 54.0		\$.01		\$.02		\$.02
53.5 - 53.0		.02		.04		.04
52.5 - 52.0		.05		.06		.06--*
51.5 - 51.0		.08		.08		.08
Broken Kernels, Foreign Material, and Other Grains Percent:						
7.1 - 8.0		\$.01		\$.01		\$.01
8.1 - 9.0		.03		.03		.03
9.1 - 10.0		.05		.05		.05
10.1 - 11.0		.07		.07		.07
11.1 - 12.0		.09		.09		.09
12.1 - 13.0		.12		.12		.12
13.1 - 14.0		.15		.15		.15
14.1 - 15.0		.18		.18		.18
	--1996		1997		1998--	

Grade or Factor Description	Premium	Discount	Premium	Discount	Premium	Discount
Damaged Kernels (Total) Percent:						
5.1 - 6.0		\$.02		\$.02		\$.02
6.1 - 7.0		.04		.04		.04
7.1 - 8.0		.06		.06		.06
8.1 - 9.0		.08		.08		.08
9.1 - 10.0		.10		.10		.10
10.1 - 11.0		.12		.12		.12
11.1 - 12.0		.14		.14		.14
12.1 - 13.0		.16		.16		.16
13.1 - 14.0		.18		.18		.18
14.1 - 15.0		.20		.20		.20
Heat-Damaged Kernels Percent:						
0.6 - 1.0		\$.03		\$.03		\$.03
1.1 - 2.0		.07		.07		.07
2.1 - 3.0		.11		.11		.11
Distinctly Discolored		\$.10		\$.10		\$.10

A Grade

This table provides the grain sorghum additional CCC discounts for grade.

	Effective July 1, 1997	Effective July 1, 1998
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Grade Discount for 1995 and later crop years:		
U.S. Sample Grade	\$.942 for 1997 crop \$.969 for 1996 crop \$.963 for 1995 crop	\$.942 for 1998 crop \$.942 for 1997 crop \$.969 for 1996 crop

B**Damaged Kernels (Total)**

This table provides the grain sorghum additional CCC discounts for damaged kernels (total).

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Damaged Kernels (Total) Percent:		
15.1 - 16.0	\$.23	\$.23
16.1 - 17.0	.26	.26
17.1 - 18.0	.29	.29
18.1 - 19.0	.32	.32
19.1 - 20.0	.35	.35
20.1 - 21.0	.38	.38
21.1 - 22.0	.41	.41
22.1 - 23.0	.44	.44
23.1 - 24.0	.47	.47
24.1 - 25.0	.50	.50
25.1 - 26.0	.52	.52
For each 1 percent or fraction thereof over 26.0 percent, deduct an additional \$.02. Example: The total discount for 31.6 percent damaged kernels (total) would be \$.64.		

C**Broken Kernels, Foreign Material, and Other Grains**

This table provides the grain sorghum additional CCC discounts for broken kernels, foreign material, and other grains.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Broken Kernels, Foreign Material, and Other Grains Percent:		
15.1 - 16.0	\$.21	\$.21
16.1 - 17.0	.24	.24
17.1 - 18.0	.27	.27
18.1 - 19.0	.30	.30
19.1 - 20.0	.33	.33
20.1 - 21.0	.36	.36
21.1 - 22.0	.39	.39
22.1 - 23.0	.42	.42

For each 1 percent or fraction thereof over 23.0 percent, deduct an additional \$.03.

Example: The total discount for 26.5 percent broken kernels, foreign material, and other grains would be \$.54.

D

Heat-Damaged Kernels

This table provides the grain sorghum additional CCC discounts for heat-damaged kernels.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Heat-Damaged Kernels Percent:		
3.1 - 3.5	\$.15	\$.15
3.6 - 4.0	.19	.19
4.1 - 4.5	.23	.23
4.6 - 5.0	.27	.27
5.1 - 5.5	.31	.31
5.6 - 6.0	.35	.35
6.1 - 6.5	.39	.39
6.6 - 7.0	.43	.43
7.1 - 7.5	.47	.47
7.6 - 8.0	.51	.51
For each 0.5 percent or fraction thereof over 8.0 percent, deduct an additional \$.04.		
Example: The total discount for 9.3 percent heat-damaged kernels would be \$.63.		

E**Test Weight**

This table provides the grain sorghum additional CCC discounts for test weight.

	Effective July 1, 1997	Effective July 1, 1998
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Test Weight (Pounds):		
50.5 - 50.0	\$.12	\$.12
49.5 - 49.0	.16	.16
48.5 - 48.0	.20	.20
47.5 - 47.0	.24	.24
46.5 - 46.0	.28	.28
45.5 - 45.0	.32	.32
44.5 - 44.0	.36	.36
Each whole pound or fraction thereof under 44.0 pounds.	deduct an additional \$.04. Example: The total discount for 42.0 pounds test weight would be \$.44.	deduct an additional \$.04. Example: The total discount for 42.0 pounds test weight would be \$.44.

F**Moisture**

This table provides the grain sorghum additional CCC discounts for moisture.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Moisture Percent:		
14.1 - 14.2	\$.02	\$.02
14.3 - 14.5	.04	.04
14.6 - 14.7	.06	.06
14.8 - 15.0	.08	.08
15.1 - 15.2	.10	.10
15.3 - 15.5	.12	.12
15.6 - 15.7	.14	.14
15.8 - 16.0	.16	.16
16.1 - 16.2	.20	.20
16.3 - 16.5	.24	.24
16.6 - 16.7	.28	.28
16.8 - 17.0	.32	.32
17.1 - 17.2	.36	.36
17.3 - 17.5	.40	.40
17.6 - 17.7	.44	.44
17.8 - 18.0	.48	.48

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Moisture Percent:		
18.1 - 18.2	\$.52	\$.52
18.3 - 18.5	.56	.56
18.6 - 18.7	.60	.60
18.8 - 19.0	.64	.64
19.1 - 19.2	.68	.68
19.3 - 19.5	.72	.72
19.6 - 19.7	.76	.76
19.8 - 20.0	.80	.80
20.1 - 20.2	.84	.84
20.3 - 20.5	.88	.88
20.6 - 20.7	.92	.92
20.8 - 21.0	.96	.96
21.1 - 21.2	1.00	1.00
21.3 - 21.5	1.04	1.04
21.6 - 21.7	1.08	1.08
21.8 - 22.0	1.12	1.12

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Moisture Percent:		
22.1 - 22.2	\$1.16	\$1.16
22.3 - 22.5	1.20	1.20
22.6 - 22.7	1.24	1.24
22.8 - 23.0	1.28	1.28
23.1 - 23.2	1.32	1.32
23.3 - 23.5	1.36	1.36
23.6 - 23.7	1.40	1.40
23.8 - 24.0	1.44	1.44
24.1 - 24.2	1.48	1.48
24.3 - 24.5	1.52	1.52
24.6 - 24.7	1.56	1.56
24.8 - 25.0	1.60	1.60
For each 0.5 percent or fraction thereof over 25.0 percent, deduct an additional \$.04. Example: The total discount for 27.0 percent moisture would be \$1.76.		

G

Special Grades

This table provides the grain sorghum additional CCC discounts for special grades.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Infested	\$.10	\$.10
Musty	\$.10	\$.10
Sour	\$.20	\$.20
Heating	\$.20	\$.20
Badly weathered	\$.15	\$.15
COFO	\$.20	\$.20

H

Discount for Contaminated Grain Sorghum

Grain sorghum found to contain substances poisonous to humans or animals, such as mercurial compounds and toxin-producing molds, will receive a discount equal to the settlement value determined after applying all other premiums and discounts.

Exception: For grain sorghum delivered to CCC and the warehouse receipt indicates a vomitoxin level of:

- 5 parts per million or less, determine the settlement rate in the normal manner
- more than 5 parts per million, the grain sorghum shall have a settlement value of **zero**.

Discounts and Additional Discounts for Mustard Seed

Crop Year Specific Discounts

A

Mustard Seed Discounts

This table provides the discounts per cwt. for mustard seed.

	Discount (Dollars per Cwt.)		
Quality Factor Level	*--1996	1997	1998--*
Class Purity Percent:			
99.5 - 99.7	\$1.00	\$1.00	\$1.00
Moisture Percent:			
8.1 - 10.0	\$1.00	\$1.00	\$1.00
Heat Damage Percent:			
0.2	\$1.00	\$1.00	\$1.00
Total Damage Percent:			
1.6 - 3.0	\$1.00	\$1.00	\$1.00
Sclerotinia Bodies Percent:			
0.2	\$1.00	\$1.00	\$1.00
Inconspicuous Admixtures Percent:			
0.2	\$1.00	\$1.00	\$1.00
Conspicuous Admixtures Percent:			
0.4 - 0.5	\$1.00	\$1.00	\$1.00

Mustard Seed Additional CCC Discounts

A

Class Purity

This table provides the mustard seed additional CCC discounts for class purity.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Class Purity Percent:		
98.0 - 99.4	\$2.00	\$2.00
95.0 - 97.9	3.00	3.00
0.0 - 94.9	5.00	5.00

B
Moisture

This table provides the mustard seed additional CCC discounts for moisture.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Moisture Percent:		
10.1 - 12.0	\$2.00	\$2.00
12.1 - 15.0	3.00	3.00
For each 3 percent or fraction thereof over 15.0 percent, deduct an additional \$1.00. Example: The total discount for 20.0 percent moisture would be \$5.00.		

C
Heat Damage

This table provides the mustard seed additional CCC discounts for heat damage.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Heat Damage Percent:		
0.3 - 0.5	\$2.00	\$2.00
0.6 - 1.0	3.00	3.00
1.1 - 1.5	4.00	4.00
1.6 - 5.0	5.00	5.00
For each 5 percent or fraction thereof over 5.0 percent, deduct an additional \$1.00. Example: The total discount for 16.0 percent heat damage would be \$8.00.		

D
Sclerotinia Bodies

This table provides the mustard seed additional CCC discounts for sclerotinia bodies.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Sclerotinia Bodies Percent:		
0.3	\$2.00	\$2.00
0.4 - 1.0	3.00	3.00
1.1 - 1.5	4.00	4.00
1.6 - 3.0	5.00	5.00
For each 1.5 percent or fraction thereof over 3.0 percent, deduct an additional \$1.00. Example: The total discount for 6.5 percent sclerotinia bodies would be \$8.00		

E**Distinctly Green Seed**

This table provides the mustard seed additional CCC discounts for distinctly green seed.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Distinctly Green Seed Percent:		
1.6 - 3.5	\$1.00	\$1.00
3.6 - 5.0	2.00	2.00
For each 1.5 percent or fraction thereof over 5.0 percent, deduct an additional \$1.00. Example: The total discount for 7.5 percent distinctly green seed would be \$4.00.		

F**Total Damage**

This table provides the mustard seed additional CCC discounts for total damage.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Total Damage Percent:		
3.1 - 5.0	\$2.00	\$2.00
5.1 - 10.5	3.00	3.00
10.6 - 15.0	4.00	4.00
15.1 - 20.0	5.00	5.00
For each 5 percent or fraction thereof over 20.0 percent, deduct an additional \$1.00. Example: The total discount for 27.0 percent total damage would be \$7.00.		

G**Conspicuous Admixture**

This table provides the mustard seed additional CCC discounts for conspicuous admixture.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Conspicuous Admixture Percent:		
0.6 - 0.7	\$2.00	\$2.00
0.8 - 1.0	3.00	3.00
1.1 - 1.5	4.00	4.00
1.6 - 3.0	5.00	5.00
For each 1.5 percent or fraction thereof over 3.0 percent, deduct an additional \$1.00. Example: The total discount for 5.0 percent conspicuous admixture would be \$7.00.		

H**Other Weed Seeds**

This table provides the mustard seed additional CCC discounts for other weed seeds.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Other Weed Seeds Percent:		
0.6 - 0.7	\$2.00	\$2.00
0.8 - 1.0	3.00	3.00
1.1 - 1.5	4.00	4.00
1.6 - 3.0	5.00	5.00

I**Other Factors**

This table provides the mustard seed additional CCC discounts for other factors.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Infested	\$2.00	\$2.00
Musty	\$2.00	\$2.00
Sour	\$2.00	\$2.00
Heating	\$2.00	\$2.00
COFO	\$4.00	\$4.00

J**Discount for Contaminated Mustard Seed**

Mustard seed found to contain substances poisonous to humans or animals, such as mercurial compounds and toxin-producing molds, will receive a discount equal to the settlement value determined after applying all other premiums and discounts.

Premiums, Discounts, and Additional Discounts for Oats

Crop Year Specific Premiums and Discounts

A

Oat Premiums and Discounts

This table provides the premiums and discounts per bushel for oats.

	1996		1997		1998	
Grade or Factor Description	Premium	Discount	Premium	Discount	Premium	Discount
Special Grade Premium of Extra-Heavy	\$.04					
Note: Premium does not apply if oats: <ul style="list-style-type: none"> • are materially weathered • are badly stained • grade lower than U.S. No. 2. 						

	--1996		1997		1998--	
Grade or Factor Description	Premium	Discount	Premium	Discount	Premium	Discount
Test Weight (Pounds):						
32.5		\$.035		\$.035		\$.035
32.0		.04		.04		.04
31.5		.045		.045		.045
31.0		.05		.05		.05
30.5		.055		.055		.055
30.0		.06		.06		.06
Moisture Percent:						
13.5 - 13.7		\$.01		\$.01		\$.01
13.8 - 14.0		.02		.02		.02
Foreign Material Percent:						
3.1 - 3.5		\$.01		\$.01		\$.01
3.6 - 4.0		.02		.02		.02

	--1996		1997		1998--	
Grade or Factor Description	Premium	Discount	Premium	Discount	Premium	Discount
Heat-Damaged Kernels Percent:						
0.4 - 0.5		\$.01		\$.01		\$.01
0.6		.02		.02		.02
0.7		.03		.03		.03
0.8		.04		.04		.04
0.9		.05		.05		.05
1.0		.06		.06		.06
Sound- Cultivated Oats Percent:						
93.0 - 93.9		\$.02		\$.02		\$.02
92.0 - 92.9		.04		.04		.04
91.0 - 91.9		.06		.06		.06
90.0 - 90.9		.08		.08		.08
Slightly Weathered		\$.05		\$.05		\$.05
Special Grade Discount of Garlicky		\$.05		\$.05		\$.05

Oats Additional CCC Discounts

A

Grade and Test Weight

This table provides the oats additional CCC discounts for:

- grade
- test weight.

	*--Effective July 1, 1997	Effective July 1, 1998
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Grade Discount for 1995 and later crop years:		
U.S. Sample Grade	\$\$.333 for 1997 crop \$.309 for 1996 crop \$.291 for 1995 crop	\$.333 for 1998 crop \$.333 for 1997 crop \$.309 for 1996 crop--*
Test Weight (Pounds):		
29.5	\$.065	\$.065
29.0	.07	.07
28.5	.075	.075
28.0	.08	.08
27.5	.085	.085
27.0	.09	.09
26.5 - 26.0	.12	.12
25.5 - 25.0	.15	.15
24.5 - 24.0	.18	.18
For each whole pound or fraction thereof under 24.0 pounds per bushel, deduct an additional \$.03. Example: The total discount for 23.0 pound test weight would be \$.21.		

B**Foreign Material**

This table provides the oats additional CCC discounts for foreign material.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Foreign Material Percent:		
4.1 - 4.5	\$.03	\$.03
4.6 - 5.0	.04	.04
5.1 - 5.5	.05	.05
5.6 - 6.0	.06	.06
6.1 - 6.5	.07	.07
6.6 - 7.0	.08	.08
7.1 - 7.5	.09	.09
7.6 - 8.0	.10	.10
8.1 - 8.5	.12	.12
8.6 - 9.0	.14	.14
9.1 - 9.5	.16	.16
9.6 - 10.0	.18	.18
10.1 - 10.5	.20	.20

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Foreign Material Percent:		
10.6 - 11.0	\$.22	\$.22
11.1 - 11.5	.24	.24
11.6 - 12.0	.26	.26
12.1 - 12.5	.28	.28
12.6 - 13.0	.30	.30
13.1 - 13.5	.32	.32
13.6 - 14.0	.34	.34
14.1 - 14.5	.36	.36
14.6 - 15.0	.38	.38
15.1 - 15.5	.39	.39
15.6 - 16.0	.40	.40
16.1 - 16.5	.41	.41
16.6 - 17.0	.42	.42
For each 0.5 percent or fraction thereof over 17.0 percent, deduct an additional \$.01. Example: The total discount for 49.0 percent foreign material would be \$1.06.		

C

Heat-Damaged Kernels

This table provides the oats additional CCC discounts for heat-damaged kernels.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Heat-Damaged Kernels Percent:		
1.1	\$.07	\$.07
1.2	.08	.08
1.3	.09	.09
1.4	.10	.10
1.5	.11	.11
For each tenth of a percent over 1.5 percent, deduct an additional \$.01. Example: The total discount for 2.7 percent heat-damaged kernels would be \$.23.		

D**Sound-Cultivated Oats**

This table provides the oats additional CCC discounts for sound-cultivated oats.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Sound-Cultivated Oats Percent:		
89.0 - 89.9	\$.10	\$.10
88.0 - 88.9	.12	.12
87.0 - 87.9	.14	.14
86.0 - 86.9	.16	.16
85.0 - 85.9	.18	.18
84.0 - 84.9	.20	.20
83.0 - 83.9	.22	.22
82.0 - 82.9	.24	.24
81.0 - 81.9	.26	.26
80.0 - 80.9	.28	.28
For each 1 percent or fraction thereof under 80.0 percent, deduct an additional \$.03. Example: The total discount for 77.8 percent sound-cultivated oats would be \$.37.		

E
Moisture

This table provides the oats additional CCC discounts for moisture.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Moisture Percent:		
14.1	\$.03	\$.03
14.2	.04	.04
14.3	.05	.05
14.4	.06	.06
14.5	.07	.07
14.6	.08	.08
14.7	.09	.09
14.8	.10	.10
14.9	.11	.11
15.0	.12	.12
15.1	.13	.13
15.2	.14	.14
15.3	.15	.15
15.4	.16	.16
15.5	.17	.17

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Moisture Percent:		
15.6	\$.19	\$.19
15.7	.21	.21
15.8	.23	.23
15.9	.25	.25
16.0	.27	.27
16.1	.29	.29
16.2	.31	.31
16.3	.33	.33
16.4	.35	.35
16.5	.37	.37
16.6	.39	.39
16.7	.41	.41
16.8	.43	.43
16.9	.45	.45
17.0	.47	.47
17.1	.49	.49
17.2	.51	.51

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Moisture Percent:		
17.3	\$.53	\$.53
17.4	.55	.55
17.5	.57	.57
17.6	.59	.59
17.7	.61	.61
17.8	.63	.63
17.9	.65	.65
18.0	.67	.67
18.1	.69	.69
18.2	.71	.71
18.3	.73	.73
18.4	.75	.75
18.5	.77	.77

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Moisture Percent:		
18.6	\$.79	\$.79
18.7	.81	.81
18.8	.83	.83
18.9	.85	.85
19.0	.87	.87
For each 0.5 percent or fraction thereof over 19.0 percent, deduct an additional \$.02.		
Example: The total discount for 25.0 percent moisture would be \$1.11.		

F
Special Grades

This table provides the oats additional CCC discounts for special grades.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Sour	\$.10	\$.10
Musty	\$.10	\$.10
Heating	\$.10	\$.10
Infested	\$.10	\$.10
Smutty	\$.10	\$.10
Bleached	\$.05	\$.05
Materially weathered or badly stained	\$.10	\$.10
COFO	\$.10	\$.10

G
Discount for Contaminated Oats

Oats found to contain substances poisonous to humans or animals, such as mercurial compounds and toxin-producing molds, will receive a discount equal to the settlement value determined after applying all other premiums and discounts.

Exception: For oats delivered to CCC and the warehouse receipt indicates a vomitoxin level of:

- 5 parts per million or less, determine the settlement rate in the normal manner
- more than 5 parts per million, the oats shall have a settlement value of **zero**.

Discounts and Additional Discounts for **Rapeseed**

Crop Year Specific Discounts

A

Rapeseed Discounts

This table provides the discounts per cwt. for rapeseed.

	Discount (Dollars per Cwt.)		
Quality Factor Level	*--1996	1997	1998--*
Oil Content Percent:			
37.9 - 37.0	\$.22	\$.22	\$.22
36.9 - 36.0	.44	.44	.44
35.9 - 35.0	.66	.66	.66
Moisture Percent:			
8.1 - 8.5	\$.11	\$.11	\$.11
8.6 - 9.0	.22	.22	.22
9.1 - 9.5	.33	.33	.33
9.6 - 10.0	.44	.44	.44
Heat Damage Percent:			
0.2 - 0.5	\$.10	\$.10	\$.10

	Discount (Dollars per Cwt.)		
Quality Factor Level	*--1996	1997	1998--*
Total Damage Percent:			
2.1 - 3.0	\$.06	\$.06	\$.06
3.1 - 4.0	.12	.12	.12
4.1 - 5.0	.18	.18	.18
5.1 - 6.0	.24	.24	.24
6.1 - 7.0	.30	.30	.30
7.1 - 8.0	.38	.38	.38
8.1 - 9.0	.46	.46	.46
9.1 - 10.0	.56	.56	.56
Garlic Bulbs (per 500 grams):			
4 - 15 bulbs	\$.02 per bulb over 3 not to exceed 15	\$.02 per bulb over 3 not to exceed 15	\$.02 per bulb over 3 not to exceed 15
Distinctly Green Seeds Percent:			
2.1 - 6.0	\$.12	\$.12	\$.12
Total Conspicuous Admixtures Percent:			
1.1 - 1.5	\$.38	\$.38	\$.38

Rapeseed Additional CCC Discounts**A****Oil Content**

This table provides the rapeseed additional CCC discounts for oil content.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Oil Content Percent:		
34.9 - 34.0	\$ 1.10	\$ 1.10
33.9 - 33.0	1.54	1.54
32.9 - 32.0	1.98	1.98
31.9 - 31.0	2.42	2.42
30.9 - 30.0	2.86	2.86
29.9 - 29.0	3.74	3.74
28.9 - 28.0	4.62	4.62
27.9 - 27.0	5.50	5.50
26.9 - 26.0	6.38	6.38
25.9 - 25.0	7.26	7.26
24.9 - 24.0	8.14	8.14
23.9 - 23.0	9.02	9.02
22.9 - 22.0	9.90	9.90
21.9 - 21.0	10.78	10.78
20.9 - 20.0	11.66	11.66
For each 1 percent or fraction thereof under 20.0 percent, deduct an additional \$.88. Example: The total discount for 19.5 percent oil content would be \$12.54.		

B**Moisture**

This table provides the rapeseed additional CCC discounts for moisture.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Moisture Percent:		
10.1 - 10.5	\$.69	\$.69
10.6 - 11.0	.94	.94
11.1 - 11.5	1.19	1.19
11.6 - 12.0	1.44	1.44
12.1 - 12.5	1.94	1.94
12.6 - 13.0	2.44	2.44
13.1 - 13.5	2.94	2.94
13.6 - 14.0	3.44	3.44
14.1 - 14.5	3.94	3.94
14.6 - 15.0	4.44	4.44
For each 0.5 percent or fraction thereof over 15.0 percent, deduct an additional \$.50. Example: The total discount for 16.5 percent moisture would be \$5.94.		

C**Heat Damage**

This table provides the rapeseed additional CCC discounts for heat damage.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Heat Damage Percent:		
0.6 - 1.0	\$.20	\$.20
1.1 - 1.5	.30	.30
1.6 - 2.0	.40	.40
2.1 - 3.0	.60	.60
3.1 - 4.0	1.40	1.40
4.1 - 5.0	2.20	2.20
5.1 - 6.0	3.20	3.20
6.1 - 7.0	4.20	4.20
7.1 - 8.0	5.20	5.20
8.1 - 9.0	6.20	6.20
9.1 - 10.0	7.20	7.20
For each 1 percent or fraction thereof over 10.0 percent, deduct an additional \$1.00. Example: The total discount for 11.5 percent heat damage would be \$9.20.		

D**Sclerotinia Bodies**

This table provides the rapeseed additional CCC discounts for sclerotinia bodies.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Sclerotinia Bodies Percent:		
0.2	\$.38	\$.38
0.3	1.50	1.50
0.4	2.25	2.25
0.5	5.00	5.00
For each 0.1 percent or fraction thereof over 0.5 percent, deduct an additional \$2.75. Example: The total discount for 0.7 percent sclerotinia bodies would be \$10.50.		

E**Distinctly Green Seed**

This table provides the rapeseed additional CCC discounts for distinctly green seed.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Distinctly Green Seed Percent:		
6.1 - 10.0	\$.24	\$.24
10.1 - 15.0	.40	.40
15.1 - 20.0	.60	.60
20.1 - 25.0	1.50	1.50
25.1 - 35.0	3.00	3.00
For each 10 percent or fraction thereof over 35.0 percent, deduct an additional \$1.50. Example: The total discount for 50.0 percent distinctly green seed would be \$6.00.		

F**Total Damage**

This table provides the rapeseed additional CCC discounts for total damage.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Total Damage Percent:		
10.1 - 11.0	\$.81	\$.81
11.1 - 12.0	1.06	1.06
12.1 - 13.0	1.31	1.31
13.1 - 14.0	1.56	1.56
14.1 - 15.0	1.81	1.81
15.1 - 16.0	2.31	2.31
16.1 - 17.0	2.81	2.81
17.1 - 18.0	3.31	3.31
18.1 - 19.0	3.81	3.81
19.1 - 20.0	4.31	4.31
20.1 - 21.0	4.81	4.81
21.1 - 22.0	5.31	5.31
22.1 - 23.0	5.81	5.81
23.1 - 24.0	6.31	6.31
24.1 - 25.0	6.81	6.81
For each 1 percent or fraction thereof over 25.0 percent, deduct an additional \$.50. Example: The total discount for 26.5 percent total damage would be \$7.81.		

G

Total Conspicuous Admixtures

This table provides the rapeseed additional CCC discounts for total conspicuous admixtures.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Total Conspicuous Admixtures Percent:		
1.6 - 2.0	\$1.50	\$1.50
2.1 - 2.5	2.25	2.25
2.6 - 3.0	5.00	5.00
For each 0.5 percent or fraction thereof over 3.0 percent, deduct an additional \$2.75. Example: The total discount for 4.0 percent total conspicuous admixtures would be \$10.50.		

H**Garlic Bulbs**

This table provides the rapeseed additional CCC discounts for garlic bulbs.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Garlic Bulbs (per 500 grams):		
16 - 20	\$.30	\$.30
21 - 30	.50	.50
31 - 50	.75	.75
51 - 75	1.50	1.50
76 - 100	3.00	3.00

I**Other Factors**

This table provides the rapeseed additional CCC discounts for other factors.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Infested	\$.40	\$.40
Musty	\$.40	\$.40
Sour	\$.40	\$.40
Heating	\$.40	\$.40
COFO	\$.70	\$.70

J**Discount for Contaminated Rapeseed**

Rapeseed found to contain substances poisonous to humans or animals, such as mercurial compounds and toxin-producing molds, will receive a discount equal to the settlement value determined after applying all other premiums and discounts.

Premiums, Discounts, and Additional Discounts for **Safflower**

Crop Year Specific Premiums and Discounts

A

Safflower Premiums and Discounts

This table provides the premiums and discounts per cwt. for safflower.

	--1996		1997		1998--	
Quality Factor Level	Premium	Discount	Premium	Discount	Premium	Discount
Oil Content Percent:						
38.1 or higher	\$.02 for each 1.0 or fraction above 38.0		\$.02 for each 1.0 or fraction above 38.0		\$.02 for each 1.0 or fraction above 38.0	
38.0						
37.9 - 37.0		\$.22		\$.22		\$.22
36.9 - 36.0		.44		.44		.44
35.9 - 35.0		.66		.66		.66
Moisture Percent:						
8.1 - 9.0		\$.22		\$.22		\$.22
9.1 -10.0		.44		.44		.44
Free Fatty Acid Percent:						
1.1 - 2.0		\$.07		\$.07		\$.07
2.1 - 2.5		.14		.14		.14
2.6 - 3.5		.25		.25		.25
3.6 - 4.0		.36		.36		.36

	--1996		1997		1998--	
Quality Factor Level	Premium	Discount	Premium	Discount	Premium	Discount
Dockage Percent:						
1.1 - 2.0		\$.11		\$.11		\$.11
2.1 - 3.0		.22		.22		.22
3.1 - 4.0		.33		.33		.33
4.1 - 5.0		.44		.44		.44
5.1 - 6.0		.55		.55		.55
Other Grains Percent:						
0.6 - 1.0		\$.10		\$.10		\$.10
1.1 - 1.5		.20		.20		.20
1.6 - 2.0		.30		.30		.30
2.1 - 3.0		.50		.50		.50

Safflower Additional CCC Discounts

A

Oil Content

This table provides the safflower additional CCC discounts for oil content.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Oil Content Percent:		
34.9 - 34.0	\$1.10	\$1.10
33.9 - 33.0	1.54	1.54
32.9 - 32.0	1.98	1.98
31.9 - 31.0	2.42	2.42
30.9 - 30.0	2.86	2.86
For each 1 percent or fraction thereof under 30.0 percent, deduct an additional \$.88. Example: The total discount for 28.5 percent oil content would be \$4.62.		

B
Moisture

This table provides the safflower additional CCC discounts for moisture.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Moisture Percent:		
10.1 - 11.0	\$.88	\$.88
11.1 - 12.0	1.32	1.32
12.1 - 13.0	2.32	2.32
13.1 - 14.0	3.32	3.32
14.1 - 15.0	4.32	4.32
For each 1 percent or fraction thereof over 15.0 percent, deduct an additional \$1.00. Example: The total discount for 16.5 percent moisture would be \$6.32.		

C
Heat Damage

This table provides the safflower additional CCC discounts for heat damage.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Heat Damage Percent:		
0.2 - 0.5	\$.25	\$.25
0.6 - 1.0	.50	.50
1.1 - 1.5	1.50	1.50
1.6 - 2.0	2.50	2.50
For each 0.5 percent or fraction thereof over 2.0 percent, deduct an additional \$1.00. Example: The total discount for 3.5 percent heat damage would be \$5.50.		

D**Free Fatty Acid**

This table provides the safflower additional CCC discounts for free fatty acid.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Free Fatty Acid Percent:		
4.1 - 4.5	\$.61	\$.61
4.6 - 5.0	.86	.86
For each 0.5 percent or fraction thereof over 5.0 percent, deduct an additional \$.25. Example: The total discount for 7.0 percent for free fatty acid would be \$1.86.		

E**Other Grains**

This table provides the safflower additional CCC discounts for other grains.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Other Grains Percent:		
3.1 - 4.0	\$.70	\$.70
4.1 - 5.0	.90	.90
For each 1 percent or fraction thereof over 5.0 percent, deduct an additional \$.20. Example: The total discount for 7.5 percent other grains would be \$1.50.		

F**Total Damage**

This table provides the safflower additional CCC discounts for total damage.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Total Damage Percent:		
3.1 - 4.0	\$.05	\$.05
4.1 - 5.0	.10	.10
5.1 - 6.0	.15	.15
6.1 - 7.0	.20	.20
7.1 - 8.0	.25	.25
8.1 - 9.0	.30	.30
9.1 - 10.0	.35	.35
10.1 - 11.0	.45	.45
11.1 - 12.0	.55	.55
12.1 - 13.0	.65	.65
13.1 - 14.0	.75	.75
14.1 - 15.0	.85	.85
15.1 - 16.0	1.10	1.10
16.1 - 17.0	1.35	1.35
17.1 - 18.0	1.60	1.60
18.1 - 19.0	1.85	1.85
19.1 - 20.0	2.10	2.10
For each 1 percent or fraction thereof over 20.0 percent, deduct an additional \$.25.		
Example: The total discount for 21.5 percent total damage would be \$2.60.		

G**Dockage**

This table provides the safflower additional CCC discounts for dockage.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Dockage Percent:		
6.1 - 7.0	\$.77	\$.77
7.1 - 8.0	.99	.99
8.1 - 9.0	1.21	1.21
9.1 - 10.0	1.43	1.43
For each 1 percent or fraction thereof over 10.0 percent, deduct an additional \$.22. Example: The total discount for 11.5 percent dockage would be \$1.87.		

H**Other Factors**

This table provides the safflower additional CCC discounts for other factors.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Infested	\$.50	\$.50
Musty	\$.50	\$.50
Sour	\$.50	\$.50
Heating	\$.50	\$.50
COFO	\$.70	\$.70

Premiums, Discounts, and Additional Discounts for Soybeans

Crop Year Specific Premiums and Discounts

A

Soybean Premiums and Discounts

This table provides the premiums and discounts per bushel for soybeans.

	--1996		1997		1998--	
Grade or Factor Description	Premium	Discount	Premium	Discount	Premium	Discount
Class Discount: Mixed Soybeans		\$.25		\$.25		\$.25
Moisture Percent:						
13.1 - 13.5		\$.06		\$.06		\$.06
13.6 - 14.0		.12		.12		.12
Test Weight (Pounds):						
53.5 - 53.0		\$.005		\$.005		\$.005
52.5 - 52.0		.01		.01		.01
51.5 - 51.0		.015		.015		.015
50.5 - 50.0		.02		.02		.02
49.5 - 49.0		.025		.025		.025
Splits Percent:						
21.0 - 25.0		\$.01		\$.01		\$.01
26.0 - 30.0		.02		.02		.02
31.0 - 35.0		.03		.03		.03
36.0 - 40.0		.04		.04		.04

	*--1996		1997		1998	
Grade or Factor Description	Premium	Discount	Premium	Discount	Premium	Discount
Heat-Damaged Percent:						
0.3 - 0.5		\$.02		\$.03		\$.03
0.6 - 1.0		.04		.06		.06
1.1 - 1.5		.06		.09		.09
1.6 - 2.0		.08		.12		.12
2.1 - 2.5		.10		.15		.15
2.6 - 3.0		.12		.18--*		.18
Total Damage Percent:						
2.1 - 3.0		\$.02		\$.02		\$.02
3.1 - 4.0		.04		.04		.04
4.1 - 5.0		.06		.06		.06
5.1 - 5.5		.08		.08		.08
5.6 - 6.0		.10		.10		.10
6.1 - 6.5		.12		.12		.12
6.6 - 7.0		.14		.14		.14
7.1 - 7.5		.16		.16		.16
7.6 - 8.0		.18		.18		.18

	1996		1997		1998	
Grade or Factor Description	Premium	Discount	Premium	Discount	Premium	Discount
Soybeans of Other Colors in Yellow Soybeans Percent:						
2.1 - 5.0		\$.015		\$.015		\$.015
5.1 - 10.0		.035		.035		.035
Purple Mottled or Stained		\$.02		\$.02		\$.02

Soybean Additional CCC Discounts

A

Grade

This table provides the soybean additional CCC discounts for grade.

	Effective July 1, 1997	Effective July 1, 1998
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Grade Discount for 1995 and later crop years:		
U.S. Sample Grade	\$1.578 for 1997 crop \$1.491 for 1996 crop \$1.476 for 1995 crop	\$1.578 for 1998 crop \$1.578 for 1997 crop \$1.491 for 1996 crop

B

Test Weight

This table provides the soybean additional CCC discounts for test weight.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Test Weight (Pounds):		
48.5 - 48.0	\$.035	\$.035
47.5 - 47.0	.045	.045
46.5 - 46.0	.055	.055
45.5 - 45.0	.065	.065
44.5 - 44.0	.075	.075
43.5 - 43.0	.085	.085
42.5 - 42.0	.095	.095
41.5 - 41.0	.105	.105
For each whole pound or fraction thereof under 41.0 pounds per bushel, deduct an additional \$.01. Example: The total discount for 39.0 pound test weight would be \$.125.		

C

Heat Damage

This table provides the soybean additional CCC discounts for heat damage.

	Effective July 1, 1997	Effective July 1, 1998
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Heat Damage Percent:		
3.1 - 3.5	\$.22	\$.22
3.6 - 4.0	.26	.26
4.1 - 4.5	.30	.30
4.6 - 5.0	.34	.34
5.1 - 5.5	.38	.38
5.6 - 6.0	.42	.42
6.1 - 6.5	.46	.46
6.6 - 7.0	.50	.50
7.1 - 7.5	.54	.54
7.6 - 8.0	.58	.58
8.1 - 8.5	.62	.62
8.6 - 9.0	.66	.66
9.1 - 9.5	.70	.70
9.6 - 10.0	.74	.74
10.1 - 10.5	.78	.78
10.6 - 11.0	.82	.82
11.1 - 11.5	.86	.86
11.6 - 12.0	.90	.90
For each 0.5 percent or fraction thereof over 12.0 percent	deduct an additional \$.05. Example: The total discount for 13.5 percent heat damage would be \$1.05.	deduct an additional \$.05. Example: The total discount for 13.5 percent heat damage would be \$1.05.

D**Total Damage**

This table provides the soybean additional CCC discounts for total damage.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Total Damage Percent:		
8.1 - 8.5	\$.20	\$.20
8.6 - 9.0	.22	.22
9.1 - 9.5	.24	.24
9.6 - 10.0	.26	.26
For each 0.5 percent or fraction thereof over 10.0 percent, deduct an additional \$.02. Example: The total discount for 12.5 percent total damage would be \$.36.		

E**Moisture**

This table provides the soybean additional CCC discounts for moisture.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Moisture Percent:		
14.1 - 14.5	\$.18	\$.18
14.6 - 15.0	.24	.24
15.1 - 15.5	.30	.30
15.6 - 16.0	.36	.36
16.1 - 16.5	.42	.42
16.6 - 17.0	.48	.48
17.1 - 17.5	.54	.54
17.6 - 18.0	.60	.60
18.1 - 18.5	.66	.66
18.6 - 19.0	.72	.72
19.1 - 19.5	.78	.78
19.6 - 20.0	.84	.84
For each 0.5 percent or fraction thereof over 20.0 percent, deduct an additional \$.06. Example: The total discount for 22.5 percent moisture would be \$1.14.		

F Splits

This table provides the soybean additional CCC discounts for splits.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Splits Percent:		
41.0 - 45.0	\$.05	\$.05
46.0 - 50.0	.06	.06
51.0 - 55.0	.07	.07
56.0 - 60.0	.08	.08
61.0 - 65.0	.09	.09
66.0 - 70.0	.10	.10
71.0 - 75.0	.11	.11
76.0 - 80.0	.12	.12
81.0 - 85.0	.13	.13
86.0 - 90.0	.14	.14
91.0 - 95.0	.15	.15
96.0 - 100.0	.16	.16

G Other Factors

This table provides the soybean additional CCC discounts for other factors.

	Effective July 1, 1997	Effective July 1, 1998
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Musty	\$.05	\$.05
Heating	\$.10	\$.10
Sour	\$.10	\$.10
Infested	\$.05	\$.05
COFO	\$.20	\$.20

H Discount for Contaminated Soybeans

Soybeans found to contain substances poisonous to humans or animals, such as mercurial compounds and toxin-producing molds, will receive a discount equal to the settlement value determined after applying all other premiums and discounts.

**Premiums, Discounts, and Additional
Discounts for Sunflower Seed, Oil Type**

Crop Year Specific Premiums and Discounts

A

Sunflower Seed, Oil Type, Premiums and Discounts

This table provides the premiums and discounts per cwt. for sunflower seed, oil type.

	--1996		1997		1998--	
Quality Factor Level	Premium	Discount	Premium	Discount	Premium	Discount
Oil Content Percent:						
41.0 or higher	\$.18		\$.18		\$.18	
40.9 - 40.0						
39.9 - 39.0		\$.22		\$.22		\$.22
38.9 - 38.0		.44		.44		.44
37.9 - 37.0		.82		.82		.82
36.9 - 36.0		1.20		1.20		1.20
35.9 - 35.0		1.58		1.58		1.58
Moisture Percent:						
8.1 - 9.0		\$.22		\$.22		\$.22
9.1 - 10.0		.44		.44		.44
Heat Damage Percent:						
0.6 - 1.0		\$.33		\$.33		\$.33
Total Damage Percent:						
5.1 - 6.0		\$.22		\$.22		\$.22
6.1 - 7.0		.44		.44		.44
7.1 - 8.0		.66		.66		.66
8.1 - 9.0		.88		.88		.88
9.1 - 10.0		1.10		1.10		1.10

Sunflower Seed, Oil Type, Additional CCC Discounts

A Grade

This table provides the sunflower seed, oil type, additional CCC discounts for grade.

	Effective July 1, 1997	Effective July 1, 1998
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Grade Discount for 1995 and later crop years:		
U.S. Sample Grade	\$2.790 for 1997 crop \$2.673 for 1996 crop \$2.61 for 1995 crop	\$2.790 for 1998 crop \$2.790 for 1997 crop \$2.673 for 1996 crop

B Test Weight

This table provides the sunflower seed, oil type, additional CCC discounts for test weight.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Test Weight (Pounds):		
24.9 - 24.0	\$.20	\$.20
23.9 - 23.0	.40	.40
22.9 - 22.0	.60	.60
21.9 - 21.0	.80	.80
20.9 - 20.0	1.00	1.00
19.9 - 19.0	1.20	1.20
18.9 - 18.0	1.40	1.40
For each pound or fraction thereof under 18.0 pounds per cwt., deduct an additional \$.20. Example: The total discount for 16.5 pound test weight would be \$1.80.		

C**Oil Content**

This table provides the sunflower seed, oil type, additional CCC discounts for oil content.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Oil Content Percent:		
34.9 - 34.0	\$2.08	\$2.08
33.9 - 33.0	2.58	2.58
32.9 - 32.0	3.08	3.08
31.9 - 31.0	3.58	3.58
30.9 - 30.0	4.08	4.08
For each 1 percent or fraction thereof under 30.0 percent, deduct an additional \$.50. Example: The total discount for 28.0 percent oil content would be \$5.08.		

D**Moisture**

This table provides the sunflower seed, oil type, additional CCC discounts for moisture.

	-Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Moisture Percent:		
10.1 - 11.0	\$.77	\$.77
11.1 - 12.0	1.10	1.10
12.1 - 13.0	1.54	1.54
13.1 - 14.0	1.98	1.98
14.1 - 15.0	2.42	2.42
For each 1 percent or fraction thereof over 15.0 percent, deduct an additional \$.44. Example: The total discount for 16.5 percent moisture would be \$3.30.		

E**Heat Damage**

This table provides the sunflower seed, oil type, additional CCC discounts for heat damage.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Heat Damage Percent:		
1.1 - 1.5	\$.53	\$.53
1.6 - 2.0	.73	.73
2.1 - 2.5	.93	.93
2.6 - 3.0	1.13	1.13
3.1 - 3.5	1.33	1.33
3.6 - 4.0	1.53	1.53
4.1 - 4.5	1.73	1.73
4.6 - 5.0	1.93	1.93
For each 0.5 percent or fraction thereof over 5.0 percent, deduct an additional \$.20. Example: The total discount for 6.5 percent heat damage would be \$2.53.		

F**Total Damage**

This table provides the sunflower seed, oil type, additional CCC discounts for total damage.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Total Damage Percent:		
10.1 - 11.0	\$1.54	\$1.54
11.1 - 12.0	1.98	1.98
12.1 - 13.0	2.42	2.42
13.1 - 14.0	2.86	2.86
14.1 - 15.0	3.30	3.30
15.1 - 16.0	3.74	3.74
16.1 - 17.0	4.18	4.18
17.1 - 18.0	4.62	4.62
18.1 - 19.0	5.06	5.06
19.1 - 20.0	5.50	5.50
For each 1 percent or fraction thereof over 20.0 percent, deduct an additional \$.44. Example: The total discount for 21.5 percent total damage would be \$6.38.		

G**Other Factors**

This table provides the sunflower seed, oil type, additional CCC discounts for other factors.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Infested	\$.50	\$.50
Musty	\$.50	\$.50
Sour	\$.50	\$.50
Heating	\$.50	\$.50
COFO	\$.70	\$.70
Distinctly low quality	\$.70	\$.70

Discount for Contaminated Sunflower Seed, Oil Type

Sunflower seed, oil type, found to contain substances poisonous to humans or animals, such as mercurial compounds and toxin-producing molds, will receive a discount equal to the settlement value determined after applying all other premiums and discounts.

Discounts and Additional Discounts for Sunflower Seed, Other Type

Crop Year Specific Discounts

A

Sunflower Seed, Other Type, Discounts

This table provides the discounts per cwt. for sunflower seed, other type.

	Discount (Dollars per Cwt.)		
Quality Factor Level	*--1996	1997	1998--*
Test Weight (Pounds):			
22.9 - 20.0	\$.50	\$.50	\$.50
Insect Damage Percent:			
3.1 - 3.5	\$.25	\$.25	\$.25
3.6 - 4.0	.50	.50	.50
4.1 - 4.5	.75	.75	.75
4.6 - 5.0	1.00	1.00	1.00

Sunflower Seed, Other Type, Additional CCC Discounts

A

Insect Damage

This table provides the sunflower seed, other type, additional CCC discounts for insect damage.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Insect Damage Percent:		
5.1 - 6.0	\$1.50	\$1.50
6.1 - 7.0	2.00	2.00
7.1 - 8.0	2.50	2.50
8.1 - 9.0	3.00	3.00
9.1 - 10.0	3.50	3.50
For each 1 percent or fraction thereof over 10.0 percent, deduct an additional \$.50. Example: The total discount for 11.0 percent insect damage would be \$4.00.		

B
Moisture

This table provides the sunflower seed, other type, additional CCC discounts for moisture.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Moisture Percent:		
10.1 - 11.0	\$.22	\$.22
11.1 - 12.0	.66	.66
12.1 - 13.0	1.10	1.10
13.1 - 14.0	1.54	1.54
14.1 - 15.0	1.98	1.98
For each 1 percent or fraction thereof over 15.0 percent, deduct an additional \$.44. Example: The total discount for 16.5 percent moisture would be \$2.86.		

C
Heat Damage

This table provides the sunflower seed, other type, additional CCC discounts for heat damage.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Heat Damage Percent:		
1.1 - 1.5	\$.20	\$.20
1.6 - 2.0	.40	.40
2.1 - 2.5	.60	.60
2.6 - 3.0	.80	.80
For each 0.5 percent or fraction thereof over 3.0 percent, deduct an additional \$.20. Example: The total discount for 4.0 percent heat damage would be \$1.20.		

D**Sclerotinia Bodies**

This table provides the sunflower seed, other type, additional CCC discounts for sclerotinia bodies.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Sclerotinia Bodies Percent:		
1.1 - 2.0	\$1.00	\$1.00
2.1 - 3.0	2.00	2.00
3.1 - 4.0	3.00	3.00
4.1 - 5.0	4.00	4.00
For each 1 percent or fraction thereof over 5.0 percent, deduct an additional \$1.00. Example: The total discount for 6.5 percent sclerotinia bodies would be \$6.00.		

E**Test Weight**

This table provides the sunflower seed, other type, additional CCC discounts for test weight.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Cwt.	Discount per Cwt.
Test Weight (Pounds):		
19.9 - 19.5	\$.90	\$.90
19.4 - 19.0	1.30	1.30
18.9 - 18.5	1.70	1.70
18.4 - 18.0	2.10	2.10
17.9 - 17.5	2.50	2.50
17.4 - 17.0	2.90	2.90
16.9 - 16.5	3.30	3.30
16.4 - 16.0	3.70	3.70
15.9 - 15.5	4.10	4.10
15.4 - 15.0	4.50	4.50
For each half pound or fraction thereof under 15.0 pounds, deduct an additional \$.40. Example: The total discount for 14.0 pound test weight would be \$5.30.		

F**Other Factors**

This table provides the sunflower seed, other type, additional CCC discounts for other factors.

Grade or Factor Description	*--Effective July 1, 1997	Effective July 1, 1998--*
	Discount per Cwt.	Discount per Cwt.
Infested	\$.50	\$.50
Musty	\$.50	\$.50
Sour	\$.50	\$.50
Heating	\$.50	\$.50
COFO	\$.70	\$.70

G**Discount for Contaminated Sunflower Seed, Other Type**

Sunflower seed, other type, found to contain substances poisonous to humans or animals, such as mercurial compounds and toxin-producing molds, will receive a discount equal to the settlement value determined after applying all other premiums and discounts.

Premiums, Discounts, and Additional Discounts for **Wheat**

Crop Year Specific Premiums and Discounts

A

Wheat Premiums and Discounts

This table provides the premiums and discounts per bushel for wheat.

	1996		1997		1998	
Grade or Factor Description	Premium	Discount	Premium	Discount	Premium	Discount
Grade and Subclass Premium:						
U.S. No. 3 or Better Hard Amber Durum	\$.05		\$.05		\$.10	
Protein Percent for the following:						
• Hard Red Winter						
• grading U.S. No. 3 or better.						
12.0 - 12.4	\$.05				\$.05	
12.5 - 12.9	.05				.05	
13.0 - 13.4	.10				.15	
13.5 - 13.9	.10				.15	
14.0 - 14.4	.10				.15	
14.5 - 14.9	.10				.15	
15.0 and over	.10				.15	

	1996		1997		1998	
Grade or Factor Description	Premium	Discount	Premium	Discount	Premium	Discount
Protein Percent for the following: • Hard Red Spring • grading U.S. No. 2 or better for 1995 and subsequent crop years.						
13.0 - 13.4	\$.10					
13.5 - 13.9	.10					
14.0 - 14.4	.15					
14.5 - 14.9	.25					
15.0 - 15.4	.40		\$.05		\$.15	
15.5 - 15.9	.40		.05		.15	
16.0 - 16.4	.40		.05		.15	
16.5 - 16.9	.40		.05		.15	
17.0 and over	.40		.05		.15	

	1996		1997		1998	
Grade or Factor Description	Premium	Discount	Premium	Discount	Premium	Discount
Grade Discount - All classes:						
Grade U.S. No. 3		\$.10		\$.05		\$.05
Grade U.S. No. 4		.20		.10		.10
Grade U.S. No. 5		.30		.15		.15
Class Discounts for Mixed Wheat: Note: Unclassed wheat and the class Red Durum are ineligible for loan.						
For each 1.0 percent of mixtures of classes other than contrasting classes over 3.0 percent		\$.02		\$.02		\$.02
For each 1.0 percent of mixtures of contrasting classes over 1.0 percent		\$.02		\$.02		.02
Subclass Discount:						
Subclass of Durum		\$.20		\$.20		\$.20

	1996		1997		1998	
Grade or Factor Description	Premium	Discount	Premium	Discount	Premium	Discount
Special Grade Discount:						
Smut:						
Light Smutty		\$.10		\$.10		\$.10
Smutty		.20		.20		.20
Garlic:						
For each garlic bulblet		\$.01		\$.01		\$.01

Wheat Additional CCC Discounts

A Grade

This table provides the wheat additional CCC discounts for grade.

	Effective July 1, 1997	Effective July 1, 1998
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Grade Discount for 1995 and later crop years:		
U.S. Sample Grade	\$.774 for 1997 crop \$.774 for 1996 crop \$.774 for 1995 crop	\$.774 for 1998 crop \$.774 for 1997 crop \$.774 for 1996 crop

B**Heat-Damaged Kernels**

This table provides the wheat additional CCC discounts for heat-damaged kernels.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Heat-Damaged Kernels Percent for All Classes:		
3.1 - 3.2	\$.02	\$.02
3.3 - 3.4	.04	.04
3.5 - 3.6	.06	.06
3.7 - 3.8	.08	.08
3.9 - 4.0	.10	.10
4.1 - 4.2	.12	.12
4.3 - 4.4	.14	.14
4.5 - 4.6	.16	.16
4.7 - 4.8	.18	.18
4.9 - 5.0	.20	.20
5.1 - 5.2	.22	.22
5.3 - 5.4	.24	.24
5.5 - 5.6	.26	.26
5.7 - 5.8	.28	.28
5.9 - 6.0	.30	.30
For each 0.2 percent or fraction thereof over 6.0 percent, deduct an additional \$.02. Example: The total discount for 18.0 percent heat-damaged kernels would be \$1.50.		

C**Damaged Kernels (Total)**

This table provides the wheat additional CCC discounts for damaged kernels (total).

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Damaged Kernels (Total) Percent:		
15.1 - 16.0	\$.02	\$.02
16.1 - 17.0	.04	.04
17.1 - 18.0	.06	.06
18.1 - 19.0	.08	.08
19.1 - 20.0	.10	.10
20.1 - 21.0	.12	.12
21.1 - 22.0	.14	.14
22.1 - 23.0	.16	.16
23.1 - 24.0	.18	.18
24.1 - 25.0	.20	.20
25.1 - 26.0	.22	.22
26.1 - 27.0	.24	.24
27.1 - 28.0	.26	.26
28.1 - 29.0	.28	.28
29.1 - 30.0	.30	.30
For each 1 percent or fraction thereof over 30.0 percent, deduct an additional \$.03. Example: The total discount for 30.3 percent damaged kernels (total) would be \$.33.		

D
Moisture

This table provides the wheat additional CCC discounts for moisture.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Moisture Percent:		
13.6 - 13.7	\$.01	\$.01
13.8 - 14.0	.02	.02
14.1 - 14.2	.04	.04
14.3 - 14.5	.06	.06
14.6 - 14.7	.08	.08
14.8 - 15.0	.10	.10
15.1 - 15.2	.13	.13
15.3 - 15.5	.16	.16
15.6 - 15.7	.19	.19
15.8 - 16.0	.22	.22
16.1 - 16.2	.25	.25
16.3 - 16.5	.28	.28
16.6 - 16.7	.31	.31
16.8 - 17.0	.34	.34
17.1 - 17.2	.37	.37
17.3 - 17.5	.40	.40
17.6 - 17.7	.43	.43
17.8 - 18.0	.46	.46

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Moisture Percent:		
18.1 - 18.2	\$.49	\$.49
18.3 - 18.5	.52	.52
18.6 - 18.7	.55	.55
18.8 - 19.0	.58	.58
19.1 - 19.2	.61	.61
19.3 - 19.5	.64	.64
19.6 - 19.7	.67	.67
19.8 - 20.0	.70	.70
20.1 - 20.2	.73	.73
20.3 - 20.5	.76	.76
20.6 - 20.7	.79	.79
20.8 - 21.0	.82	.82
21.1 - 21.2	.85	.85
21.3 - 21.5	.88	.88
21.6 - 21.7	.91	.91
21.8 - 22.0	.94	.94
22.1 - 22.2	.97	.97
22.3 - 22.5	1.00	1.00

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Moisture Percent:		
22.6 - 22.7	\$1.03	\$1.03
22.8 - 23.0	1.06	1.06
23.1 - 23.2	1.09	1.09
23.3 - 23.5	1.12	1.12
23.6 - 23.7	1.15	1.15
23.8 - 24.0	1.18	1.18
24.1 - 24.2	1.21	1.21
24.3 - 24.5	1.24	1.24
24.6 - 24.7	1.27	1.27
24.8 - 25.0	1.30	1.30
<p>For each 0.2 percent or fraction thereof over 25.0 percent, deduct an additional \$.03. Example: The total discount for 27.5 percent moisture would be \$1.69.</p>		

E**Test Weight**

This table provides the wheat additional CCC discounts for test weight.

	--Effective July 1, 1997		Effective July 1, 1998--	
Grade or Factor Description	Discount per Bushel		Discount per Bushel	
Test Weight (Pounds):	Hard Red Spring and White Club	All Other Classes and Subclasses	Hard Red Spring and White Club	All Other Classes and Subclasses
50.9 - 50.0		\$.03		\$.03
49.9 - 49.0	\$.02	.06	\$.02	.06
48.9 - 48.0	.04	.09	.04	.09
47.9 - 47.0	.06	.12	.06	.12
46.9 - 46.0	.08	.15	.08	.15
45.9 - 45.0	.10	.18	.10	.18
44.9 - 44.0	.13	.21	.13	.21
43.9 - 43.0	.16	.24	.16	.24
42.9 - 42.0	.19	.27	.19	.27
41.9 - 41.0	.22	.30	.22	.30
40.9 - 40.0	.25	.33	.25	.33
For each whole pound or fraction thereof under 40.0 pounds per bushel, deduct an additional \$.03. Example: The total discount for 38.7 pound test weight of: <ul style="list-style-type: none"> • hard red spring wheat or white club wheat would be \$.31 • all other classes and subclasses would be \$.39. 				

F**Special Grades**

This table provides the wheat additional CCC discounts for special grades.

	--Effective July 1, 1997	Effective July 1, 1998--
Grade or Factor Description	Discount per Bushel	Discount per Bushel
Infested	\$.10	\$.10
Musty	\$.10	\$.10
Sour	\$.25	\$.25
Heating	\$.25	\$.25
COFO	\$.50	\$.50

G

Insect-Damaged Kernels

See 7-LP, paragraph 1315 for insect-damaged kernels.

H

Other Factors

For other factors not included in this part, including but not limited to glass, unknown foreign substance, treated, and animal filth, contact PSD, according to 7-LP, subparagraph 1320 D.